

2K HS UNIVERSAL CLEAR COAT



FEATURES:

- High solid 2 coat application.
- Excellent gloss retention.
- Excellent resistance to scratching.
- Also suitable for polycarbonate headlight.
- Excellent flow.
- Suitable for spot or all over applications.
- Suitable for solvent and waterborne basecoat.
- Available with fast or STD hardener.



M-Ratio 2: 1 V 100:50 P



POT LIFE 3 H STD 1.5 H FAST



Viscosity 18-20' 5-10%



TIP & PRE 1.2- 1.4mm 2-2.5 bar



COATS 2 coat 50-60 um



FLASH 5 - 10'



STD H 20c / 3H 60c / 30 min Fast H 20c / 2H 60c / 20 min



POLISHING After drying 20 c / 24 H 60 c / 1 H